Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6219796").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/28 15:14
S2	377	(717/140).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S3	249	(717/141).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S4	79	(717/142).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S5	215	(717/143).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S6	117	(717/144).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S7	291	(717/151).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S8	92	(717/152).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S9	123	(717/153).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S10	274	(717/154).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S11	98	(717/155).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S12	140	(717/156).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:49
S13	57	(717/157).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:13
S14	230	(717/158).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:14
S15	135	(717/160).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:14
S16	86	(717/161).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:14
S17	552	(713/322).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:14
S18	821	(713/320).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:14
S19	547	(713/324).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:14
S21	325	(712/208).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:15

	<del></del>	· · · · · · · · · · · · · · · · · · ·	<del>,                                      </del>			
S22	3014	(S2 S3 S4 S5 S6 S7 S8 S9 S10 S11 S12 S13 S14 S15 S16 S17 S18 S19 S21) and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:17
S23	82	S22 and (compil\$3 with power\$5)	US-PGPUB; USPAT;	OR	ON	2004/12/27 15:19
			USOCR;			
			EPO; JPO; DERWENT;		:	
	i		IBM_TDB			
S24	80	S23 and instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:19
S27	8	S24 and (user-specified user near5 specified)	US-PGPUB; USPAT;	ÓR	ON	2004/12/27 15:30
			USOCR;			
			EPO; JPO; DERWENT;			
			IBM_TDB			
S28	206	S22 and (power with instructions with \$5processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:31
S29	9	S28 and (power with instruction	US-PGPUB;	OR	ON	2004/12/27 15:32
		with insert\$3)	USPAT; USOCR;			
			EPO; JPO; DERWENT;			A Secretary of the second of t
	17		IBM_TDB			
S30	49	power near5 consumption with compiler and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 11:49
<b>S31</b>	13	S30 and profil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 17:07

S32	36	S30 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 17:07
S33	110	functional adj unit with compiler and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 11:50
S34	78	S33 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 11:50
S35	31	S34 and consumption	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 12:39
S38	12	S35 and user adj input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 13:10
S46	1	("6219796").PN.	US-PGPUB;	OR	OFF	2004/12/28 15:14
S48	.2	"20030014742"	USPAT US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:15
S49	140	(717/156).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/29 15:24
S50	215	(717/156,155).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/29 15:25
S52	41	S50 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:25

S53	32	S52 and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:25
S76	6	monotone adj (data-flow data adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:20
S77	4	S76 and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:20
S78	92	(717/152).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/29 18:15
S79	65	S78 and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 10:31
S80	92	(717/152).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/30 10:32
S81	65	S80 and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 10:32
S83	12	((power-down power adj down) with (user-specified user near3 specified))	US-PGPUB; USPAT; USOCR;	OR	ON	2004/12/30 10:40
			EPO; JPO; DERWENT; IBM_TDB			
S84	9	S83 and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 10:33
S89	70	power with constraint with (real-time real adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 10:46

S90	3	power with user with constraint with (real-time real adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 10:43
S92	52	power with constraint with (real-time real adj time) and @ad<="20010708"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2004/12/30 11:10
1.7			IBM_TDB	8		
S93	14	S92 and execution near3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 10:47
S96	232	power with (limit threshold	US-PGPUB;	OR	ON	2004/12/30 11:13
		constraint specification) with	USPAT;			
		(real-time real adj time) and	USOCR;			
	y *	@ad<="20010708"	EPO; JPO; DERWENT;			
			IBM_TDB			
507	12	power with (limit threshold	US-PGPUB;	OR	ON	2004/12/30 11:26
S97		constraint specification) with (real-time real adj time) and @ad<="20010708" and power-down	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2004/12/30 11.20
S10 4	1304	@ad<="20010708" and (power with instruction with (limit threshold	US-PGPUB; USPAT;	OR	ON	2004/12/30 11:34
		constraint specification number	USOCR;	ji James Siriti		
		insert\$3))	EPO; JPO;			
			DERWENT; IBM_TDB			
			The state of			2004/42/20 44 52
S10 5	31	@ad<="20010708" and (power adj instruction with (limit threshold constraint specification number insert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 11:53
S11 1	12	@ad<="20010708" and dynamic\$5 near3 execution with path and	US-PGPUB; USPAT;	OR	ON	2004/12/30 13:40
-		power	USOCR; EPO; JPO; DERWENT; IBM_TDB			

S11 2	. 441	@ad<="20010708" and execution adj path and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 13:41
S11 8	<b>4</b>	@ad<="20010708" and execution adj path with power adj consumption	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 13:59
S12 0	31	@ad<="20010708" and execution adj path with profil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 16:07
S12 1	228	S120 andpower	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:00
S12 2	4	S120 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:01
S12 4	372	@ad<="20010708" and ((functional adj unit) near5 transfer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 16:09
S12 5	188	@ad<="20010708" and ((functional adj unit) near5 transfer) with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 16:09
S12 6	19	@ad<="20010708" and ((functional adj unit) near5 transfer) with data and (instruction with bytes with transfer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 16:42

S13	37	@ad<="20010708" and (instruction	US-PGPUB;	OR	ON	2004/12/30 17:23
0		with byte with number with map\$4)	USPAT;			
		,	USOCR;			
			EPO; JPO;			
			DERWENT;	`		
			IBM_TDB			